



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2013 - June 30, 2014

Filing Confirmation Number: 0006359953

Filing Deadline: July 15, 2014

FRN: 0019013663

Filing Date: 07/07/2014 05:53 PM

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

#### Company Information

Company Name: verykool USA inc  
Brand Names: verykool  
PO Box:  
Street Address: 3636 Nobel Drive Suite 325  
City: San Diego  
State: CA  
Zip Code: 92122

Contact Name: Sunny Choi  
Contact Phone: (858) 373-1635  
Contact Fax:  
Contact Email: sunny.choi@infosonics.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: [www.verykool.net](http://www.verykool.net)

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: We keep labeling package with HAC disclaimer and continuously update the website with most recent handset information.

### Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 0

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 26

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	8	31%			18	69%		26
WCDMA	5	38%			8	62%		13

### Handset 1: Verykool i121C

#### Handset Maker

Verykool

#### Handset Model Name

i121C

#### FCC ID

WA6I121

#### Air Interfaces/Frequency Bands

850 MHz GSM  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM

#### Dates

This handset model was offered from: 02/13 to 05/14

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

---

### Handset 2: Verykool i126S

#### Handset Maker

Verykool

#### Handset Model Name

i126S

#### FCC ID

WA6I126S

#### Air Interfaces/Frequency Bands

850 MHz GSM  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM

#### Dates

This handset model was offered from: 11/13 to 06/14

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

### Handset 3: Verykool i127

#### Handset Maker

Verykool

#### Handset Model Name

i127

#### FCC ID

WA6I127

#### Air Interfaces/Frequency Bands

850 MHz GSM  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM

#### Dates

This handset model was offered from: 12/13 to 04/14

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

## Handset 4: Verykool i130

### Handset Maker

Verykool

### Handset Model Name

i130

### FCC ID

WA6I130

### Air Interfaces/Frequency Bands

850 MHz GSM  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM

### Dates

This handset model was offered from: 10/12 to 10/13

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

## Handset 5: Verykool i133

### Handset Maker

Verykool

### Handset Model Name

i133

### FCC ID

WA6I133

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA

### Dates

This handset model was offered from: 10/13 to 05/14

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

### Handset 6: Verykool i316

#### Handset Maker

Verykool

#### Handset Model Name

i316

#### FCC ID

WA6I316

#### Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

#### Dates

This handset model was offered from: 11/13 to 06/14

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

### Handset 7: Verykool i320

#### Handset Maker

Verykool

#### Handset Model Name

i320

#### FCC ID

WA6I320

#### Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

#### Dates

This handset model was offered from: 11/12 to 06/14

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

## Handset 8: Verykool i603A

### Handset Maker

Verykool

### Handset Model Name

i603A

### FCC ID

WA6I603A

### Air Interfaces/Frequency Bands

850 MHz GSM  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM

### Dates

This handset model was offered from: 12/13 to 04/14

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

## Handset 9: Verykool I675

### Handset Maker

Verykool

### Handset Model Name

I675

### FCC ID

WA6I675

### Air Interfaces/Frequency Bands

850 MHz GSM  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM

### Dates

This handset model was offered from: 08/13 to 11/13

### Ratings

M-Rating:



M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

### Handset 10: Verykool R16

#### Handset Maker

Verykool

#### Handset Model Name

#### FCC ID

R16

WA6R16

#### Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

#### Dates

This handset model was offered from: 07/13 to 07/13

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

## Handset 11: Verykool R23

### Handset Maker

Verykool

### Handset Model Name

R23

### FCC ID

WA6R23

### Air Interfaces/Frequency Bands

850 MHz GSM  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM

### Dates

This handset model was offered from: 12/11 to 10/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 01/13/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

## Handset 12: Verykool R25

### Handset Maker

Verykool

### Handset Model Name

R25

### FCC ID

WA6R25

### Air Interfaces/Frequency Bands

850 MHz GSM  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM

### Dates

This handset model was offered from: 02/13 to 06/14

### Ratings

M-Rating: M3

M-Rating Certification Date: 11/15/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/15/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

### Handset 13: Verykool R623

#### Handset Maker

Verykool

#### Handset Model Name

#### FCC ID

R623

WA6R623

#### Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 04/13 to 03/14

#### Ratings

M-Rating: M3

M-Rating Certification Date: 12/13/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

## Handset 14: Verykool R80L

### Handset Maker

Verykool

### Handset Model Name

R80L

### FCC ID

WA6R80

### Air Interfaces/Frequency Bands

850 MHz GSM  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM

### Dates

This handset model was offered from: 04/14 to 06/14

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

## Handset 15: Verykool RS75

### Handset Maker

Verykool

### Handset Model Name

RS75

### FCC ID

WA6RS75

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 07/13 to 05/14

## Ratings

M-Rating: M3

M-Rating Certification Date: 01/24/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/24/13

Version of the ANSI C63.19 standard used during the certification process: 2007

## Remarks

## Handset 16: Verykool RS90 Vortex

### Handset Maker

Verykool

### Handset Model Name

RS90 Vortex

### FCC ID

WA6RS90

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 07/13 to 06/14

## Ratings

M-Rating: M3

M-Rating Certification Date: 04/19/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/19/13

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

### Handset 17: Verykool S135

#### Handset Maker

Verykool

#### Handset Model Name

S135

#### FCC ID

WA6S135

#### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 12/12 to 05/14

#### Ratings

M-Rating: M3

M-Rating Certification Date: 08/22/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/22/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

## Handset 18: Verykool s351

### Handset Maker

Verykool

### Handset Model Name

s351

### FCC ID

WA6S351

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 04/14 to 05/14

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

## Handset 19: Verykool s353

### Handset Maker

Verykool

### Handset Model Name

s353

### FCC ID

WA6S353

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 02/14 to 06/14

**Ratings**

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 20: Verykool S400****Handset Maker**

Verykool

**Handset Model Name**

S400

**FCC ID**

WA6S400

**Air Interfaces/Frequency Bands**

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 11/13 to 06/14

**Ratings**

M-Rating:

M-Rating Certification Date:



Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

### Handset 21: Verykool s401

#### Handset Maker

Verykool

#### Handset Model Name

s401

#### FCC ID

WA6S401

#### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 06/14 to 06/14

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

## Handset 22: Verykool s450

### Handset Maker

Verykool

### Handset Model Name

s450

### FCC ID

WA6S450

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 04/14 to 06/14

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

## Handset 23: Verykool S470

### Handset Maker

Verykool

### Handset Model Name

S470

### FCC ID

WA6S470

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 12/13 to 06/14

**Ratings**

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 24: Verykool s635****Handset Maker**

Verykool

**Handset Model Name****FCC ID**

s635

WA6S635

**Air Interfaces/Frequency Bands**

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 10/12 to 03/14

**Ratings**

M-Rating: M3

M-Rating Certification Date: 09/06/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/06/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

### Handset 25: Verykool s758

#### Handset Maker

Verykool

#### Handset Model Name

s758

#### FCC ID

WA6S758

#### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

#### Dates

This handset model was offered from: 04/13 to 06/14

#### Ratings

M-Rating: M3

M-Rating Certification Date: 12/21/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/21/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

## Handset 26: Verykool T742

### Handset Maker

Verykool

### Handset Model Name

T742

### FCC ID

WA6T742

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 04/14 to 06/14

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

---

## Certification

### This Report has been certified by:

Sunny Choi PM Director  
07/07/2014 05:53 PM